

	Type	Hits	Search Text	DBs
1	IS&R	1	("6164993").PN.	USPAT
2	BRS	65806	174/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	91754	361/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	162419	29/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	144404	257/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	74123	439/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	4851	h05k001/00	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	498909	174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	5182	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (Flex\$5 near3 circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	452	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and adhesive near3 (anisotropic or coductive or z-axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	18250	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	129	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (Flex\$5 near3 circuit)) and ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and adhesive near3 (anisotropic or coductive or z-axis))	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	US-3226802-A.DID. and (gold adj ball)	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	US-3226802-A.DID. and (gold near3 ball)	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mum.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	0	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10" adj mum.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	0	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("20" adj mum.)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	0	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mum)	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("30" adj mum.)	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	528	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and (bump near3 height)	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	48	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (Flex\$5 near3 circuit)) and (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and (bump near3 height))	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	106	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (adhesive near3 bump)	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	86679	360/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	1048	360/\$.ccls. and (Flex\$5 near3 circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	5	(360/\$.ccls. and (Flex\$5 near3 circuit)) and adhesive near3 (anisotropic or coductive or z-axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	1	"5362421".PN.	USPAT
27	BRS	6	5734523.URPN.	USPAT
28	BRS	31	head adj gimble	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	(head adj gimble) and (Flex\$5 near3 circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	(head adj gimble) and adhesive near3 (anisotropic or coductive or z-axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	96774	magnetic adj head	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	825	(magnetic adj head) and (Flex\$5 near3 circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	8	((magnetic adj head) and (Flex\$5 near3 circuit)) and adhesive near3 (anisotropic or coductive or z-axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	4	(bonding adj structure).ti,ab. and anisotropic and pad	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	431	(anisotropic near3 film).ti,ab. and (FPC or flex\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
36	BRS	1	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mu.m)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	10526	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	3545	(174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	13581	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	664	((((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))) and (Flex\$5 near3 circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	277	(((((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))) and (Flex\$5 near3 circuit)) and (bump or ball)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	180	((((((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))) and (Flex\$5 near3 circuit)) and (bump or ball)) and (height or diameter)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	880	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10" adj mu.m)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
44	BRS	657	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("20" adj mu.m)	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	1	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mu.m)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	543	((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("30" adj mu.m)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	1390	((((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("20" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("30" adj mu.m))	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	337	((((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))) and (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("20" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("30" adj mu.m)))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
49	BRS	157	<p>(((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (anisotropic or z-axis)) or ((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (conductive adj adhesive))) and (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("20" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("10-38" adj mu.m)) or (((174/\$.ccls. or 361/\$.ccls. or 29/\$.ccls. or 257/\$.ccls. or 439/\$.ccls. or h05k001/00) and (bump or ball)) and ("30" adj mu.m)))) and (Flex\$5)</p>	USPAT; EPO; JPO; DERWENT; IBM_TDB